Nest[™] Porcelain Stone[®]

Oak Colors



Crossville, Inc. • P.O. Box 1168, Crossville, TN 38557 • Phone: 931.484.2110 • Fax: 931.456.2956 • E-Mail: Crossc@CrossvilleInc.com • CrossvilleInc.com

Nest[™] Porcelain Stone®

Olive Colors



AV362 ► Joyous Olive



AV363 Blissful Olive



AV364 ► Mindful Olive



AV365 ▶ Peaceful Olive



AV366 ► Slumber Olive



AV367 ► Meditative Olive



Nest[™] Porcelain Stone[®]

Olive Colors



NBC01 ► Levity in Oak and Olive MIX 1 x 6 Mosaics



NBC04 ► Mindful in Oak and Olive Mix 1 x 6 Mosaics

Features and Benefits

- Nest[™] offers a soothing, neutral color palette, all with the sophisticated clean graining of premium wood.
- The two available grains replicate the allure of rough cut oak planks and the simplistic beauty of olive wood
- Both grains are offered in seven distinct colors that compliment the characteristics of each species
- Combine the 1 x 6 sheet mounted mosaics and 3 x 15 planks for a unique parquet look
- Coordinates with Notorious[™] for additional design opportunities
- Modular sizes 6 x 36 and 8 x36 including a flexible 3 x 15 plank
- A trim package with both bullnose and cove base
- Green SquaredsM Certified and Made in U.S.A.



NBC02 ► Joyous in Oak and Olive Mix 1 x 6 Mosaics



NBC05 ► Peaceful in Oak and Olive Mix 1 x 6 Mosaics



NBC07 ► Meditative in Oak and Olive Mix 1 x 6 Mosaics



NBC03 ► Blissful in Oak and Olive Mix 1 x 6 Mosaics



NBC06 ► Slumber in Oak and Olive Mix 1 x 6 Mosaics



NBC08 ► Levity, Blissful, and Mindful in Olive Mix 1 x 6 Mosaics



Nest[™] Porcelain Stone[®]

Sizes UPS Finish, available in all colors





1 x 6 Mosaics (shown in NBC02) *UPS Finish,* 8 colors available Mesh mounted on a 297mm x 297mm sheet

Sizes & Finishes

Field Tile - Rectified		Available in all c	olors	
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
3 x 15	72 x 372	10.5	3	UPS
6 x 36	147 x 897	10.5	3	UPS
8 x 36	197 x 897	10.5	3	UPS

Note: All field tile is rectified

Crossville recommends a minimum 3mm grout joint.

	0 9			
Mosaics		Available in 8 c	olors	
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
1 x 6 Mosaics	297 x 297	10.5	3	UPS
* 1 x 6 mosaic mounted on 297 x	x 297 sheets with a	a 3mm grout joint		
Coordinating Trim				
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 18 Single Bullnose	147 x 447	10.5	3	UPS
6 x 12 Cove Base (Olive only)	150 x 297	9.5	3	UPS
6 x 18 Single Bullnose	6 x 12 Cove I (Olive onl			
Product Performance				
Breaking Strength		>450 lbf	ASTM	C648
Bond Strength		>200 psi	ASTM C48	
Chemical Resistance		Unaffected	ASTM C65	
Frost Resistance		Resistant	ASTM	C1026
Water Absorption		<0.50%	ASTM	C373
Scratch Hardness		7	Mohs S	Scale
Wet Dynamic Coefficient of F	riction			
UPS		.42 – .52	ANSI A	326.3
Shade & Texture Index				
Nest [™] has a shade variatio				
1 V2	V3	V4	V1 Uniform appea	
			V2 Slight Variatio	
			V3 Moderate Va	
			V4 Substantial Va	ariation

This porcelain tile product is produced with a V3 variation. Expect that the amount of color and texture on each piece may vary significantly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Application Areas

Finish	Interior Floors (dry)	Interior Walls (wet/dry)	Exterior Walls	Interior Floors (Standing water/ shower floors)	Exterior/Paving	Pool/Fountain Full Lining**	Water Line Pool/ Fountains
UPS	\checkmark	~	~	Mosaics Only*		\checkmark	\checkmark

* 4" or less in both length and width, UPS or UP mosaics

** Excludes mesh mounted mosaics. Crossville recommends face mounted or edge mounted mosaics for fully submerged applications. Contact your Crossville sales representative for more information. NOTE: Trim applications will differ from field tile applications for the same series.

For more information on ANSI- A362.3 visit our website at https://www.crossvilleinc.com/Resources/Tile-101/DCOF?tab=1



Nest™

0			
Cros	SVII	ie, i	nc.

PO Box 1168 Crossville, TN 38557

931.484.2110 Phone Fax 931.456.2956 E-Mail Crossc@CrossvilleInc.com Web CrossvilleInc.com

Recommended Use

Nest[™] is recommended for interior floors, interior walls, countertops, exterior walls, pool waterlines and full linings[†] in both residential and commercial applications. Nest™ is not recommended for exterior horizontal surfaces or exterior paving. See CrossvilleInc.com for detailed installation instructions. ⁺Excludes mesh mounted mosaics.

Care and Maintenance

Regular cleaning is the best way to keep Nest tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More Information regarding the care and maintenance of Crossville[®] products is available at CrossvilleInc.com.



AV355 ▶ Peaceful Oak 6 x 36 on floor NBC05 ▶ Peaceful in Oak and Olive Mix 1x6 Mosaics on shower floor AV354 ► Mindful Oak 6 x 36 on wall

Crossville[®] Sample Express

Visit the website to learn more: CrossvilleInc.com/Products/ Nest

Loose Tile Samples

Sizes may vary depending on product series Max. of 4 large field tile per order

Standard Shipping FedEX Ground

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, sales support and samples.

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2022 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.







Environmentally Aware



PORCELAIN





NEST-22