

NATIVE METAL

Porcelain Stone®



Available Colors



NVM01 Noble Platinum



NVM02 Nickel Plate



NVM03 Crucible Steel



NVM04 Copper Deposit



NVM05 Cobalt Ore



NVM06 Graphite Black


Features and Benefits

- Native Metals captures the eternal luxury of patinaed minerals and ores in a refreshingly unique porcelain.
- Unpolished Rectified field tile sizes: 12"x 24", 24"x 24" and 24"x 48"
- 2"x2" and hex mosaic.
- Complete your installations with 4"x 24" bullnose or 6"x 12" cove base
- Cross-Sheen® for easy cleaning
- Made in the USA




Porcelain tiles only.


Available Mosaics



NVM01.10202MOS
Noble Platinum
2 x 2 Mosaic



NVM02.10202MOS
Nickel Plate
2 x 2 Mosaic



NVM03.10202MOS
Crucible Steel
2 x 2 Mosaic



NVM04.10202MOS
Copper Deposit
2 x 2 Mosaic



NVM05.10202MOS
Cobalt Ore
2 x 2 Mosaic



NVM06.10202MOS
Graphite Black
2 x 2 Mosaic



NVM01.1HEXUMOS
Noble Platinum
Hex Mosaic



NVM02.1HEXUMOS
Nickel Plate
Hex Mosaic



NVM03.1HEXUMOS
Crucible Steel
Hex Mosaic



NVM04.1HEXUMOS
Copper Deposit
Hex Mosaic



NVM05.1HEXUMOS
Cobalt Ore
Hex Mosaic



NVM06.1HEXUMOS
Graphite Black
Hex Mosaic

NATIVE METAL

Porcelain Stone®



Sizes



2 x 2 Square Mosaic
(Mounted on a 298 x 298 mm sheet)



Hex Mosaic
(Mounted on a 259 x 270 mm sheet)



4 x 24 Single Bullnose



6 x 12 Cove Base

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment. See website for more details and sizes.



Sizes & Finishes

Field Tile - Rectified

Available in all colors

| Nominal (in) | Actual (mm) | Thickness (mm) | Grout Joint (mm) | Finish |
|--------------|-------------|----------------|------------------|--------|
| 12 x 24 | 297 x 597 | 9.5 | 3 | UPS |
| 24 x 24 | 597 x 597 | 9.5 | 3 | UPS |
| 24 x 48 | 597 x 1197 | 10.5 | 3 | UPS |

Note: Field tile is rectified with a 3mm grout joint

Mosaics

Available in all colors

| Nominal (in) | Actual (mm) | Thickness (mm) | Grout Joint (mm) | Finish |
|---------------|-------------|----------------|------------------|--------|
| 2 x 2 Mosaic* | 298 x 298 | 9.5 | 3 | UPS |
| Hex Mosaic | 259 x 270 | 9.5 | 2 | UPS |

Coordinating Trim

Available in all colors

| Nominal (in) | Actual (mm) | Thickness (mm) | Grout Joint (mm) | Finish |
|------------------------|-------------|----------------|------------------|--------|
| 4 x 24 Single Bullnose | 96 x 597 | 9.5 | 3 | UPS |
| 6 x 12 Cove Base | 150 x 297 | 9.5 | 3 | UPS |

Product Performance

| | | |
|---------------------|------------|------------|
| Breaking Strength | ≥450 lbf | ASTM C648 |
| Bond Strength | >200 psi | ASTM C482 |
| Chemical Resistance | Unaffected | ASTM C650 |
| Frost Resistance | Resistant | ASTM C1026 |
| Water Absorption | <0.50% | ASTM C373 |
| Scratch Hardness | 7 | Mohs Scale |

Wet Dynamic Coefficient of Friction Range

| | | |
|-----|-------------|-------------|
| UPS | 0.50 - 0.60 | ANSI A326.3 |
|-----|-------------|-------------|

Shade & Texture Index

Native Metal has a shade variation of V3.

| | | | | |
|----|----|----|----|------------------------------|
| V1 | V2 | V3 | V4 | V1 Uniform appearance |
| | | | | V2 Slight Variation |
| | | | | V3 Moderate Variation |
| | | | | V4 Substantial Variation |

This porcelain tile product is produced with a V3 variation. While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or textures to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

Application Areas

Please see Application Area chart at Crossville.com/learn/specification-library

Recommended Use

Native Metal is recommended for interior floors, interior walls, countertops, exterior walls, pool waterlines and full linings† in both residential and commercial applications. Native Metal is not recommended for exterior horizontal surfaces or exterior paving. See Crossville.com for detailed installation instructions

† Excludes mesh mounted mosaics.

Wet area use for Native Metal Mosaics

Crossville® produces the Native Metal 2 x 2 mosaics and hex mosaics with the Cross-Sheen (UPS) finish. The ANSI A326.3 wet Dynamic COF of Native Metal is ≥ 0.42 . Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning. This information is provided so that customers may make a realistic and informed decision when comparing Native Metal to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Care and Maintenance

Regular cleaning is the best way to keep Native Metal tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at Crossville.com.

Our Warranty

Crossville Inc. guarantees that it's products will meet or exceed the performance specifications outlined in ANSI A137.1- 2022 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at Crossville.com

Information listed here is subject to change. Please refer to Crossville.com for the latest, most accurate information.

Crossville® Sample Express

Visit the website to learn more:
[Crossville.com/Products/Native Metal](http://Crossville.com/Products/NativeMetal)

Loose Tile Samples
Sizes may vary depending on product series
Max. of 4 large field tile per order

Standard Shipping
FedEx Ground

Crossville.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at Crossville.com Information listed here is subject to change.

Trade Organizations



Environmentally Aware

