Gotham

Porcelain Stone®



Color Palette

Colors



AV321 ▶ Lamp Post



AV322 ▶ Penthouse



AV323 ▶ Clock Tower



AV324 ▶ Mainline



AV325 ▶ Dockside



AV326 ▶ Pavement

Specifications

Sizes Available in all colors

2 x 6



Sizes & Finishes

Field Tile

| Nominal (in) | Actual (in) | Thickness (in) | Finish |
|--------------|---------------------|----------------|--------|
| 2 x 6 | 1-13/16 x 5-13/16 | 3/8 | UPS |
| 12 x 24 | 11-13/16 x 23-13/16 | 3/8 | UPS |

Crossville recommends a grout joint of 3/16 to 1/4 inch.

Actual measurements stated in inches indicate tile is calibrated (non-rectified)

Actual measurements stated in mm indicated tile is rectified.

Coordinating Trim

| Nominal (in) | Actual (in) | Thickness (in) | Finish |
|------------------------|--------------------|----------------|--------|
| 4 x 24 Single Bullnose | 3-13/16 x 23-13/16 | 3/8 | UPS |
| 6 x 12 Cove Base | 5-7/8 x 11-3/4 | 3/8 | UPS |





4 x 24 Single Bullnose

6 x 12 Cove Base (universal flat top)

Product Performance

| Breaking Strength | >450 lbf | ASTM C648 |
|---------------------|------------|------------|
| Bond Strength | >200 psi | ASTM C482 |
| Chemical Resistance | Unaffected | ASTM C650 |
| Frost Resistance | Resistant | ASTM C1026 |
| Water Absorption | <0.20% | ASTM C373 |
| Scratch Hardness | 7 | Mohs Scale |

Wet Dynamic Coefficient of Friction Range

| LIPS | .5060 | AcuTest sM |
|------|-------|-----------------------|

Shade & Texture Index

Gotham has a shade variation of V2.



sizes.

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order





V2 Slight Variation
V3 Moderate Variation

This porcelain tile product is produced with a V2 variation. Expect that the amount of color and texture on each piece may vary slightly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Recommended Use

Gotham is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Gotham is not recommended for exterior horizontal surfaces or exterior paving. If offset pattern is required for tiles 18 inches or longer, Crossville® recommends an offset of not greater than 33%. See CrossvilleInc.com for detailed installation instructions.

Care and Maintenance

Regular cleaning is the best way to keep Gotham tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Environmentally Conscious

Gotham contains a minimum of 4 percent pre-consumer recycled content and is manufactured by Crossville® using processes that have been certified by Scientific Certification Systems. SCS has verified that through these recycling processes Crossville recycles nearly 12 million pounds of previously discarded filtrate and fired tile waste. In addition to its own fired waste recycling. Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit CrossvilleInc.com/green.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.


CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com.

Hydrotect

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.







AV323 ► Clock Tower 12 x 24 **L4338** ► Laminam by Crossville 5.6 Fokos - Piombo

























Gotham

Porcelain Stone®

Uncover the Grit and Glory

With the grit of a hero and the tenacity of a protagonist, Gotham achieves the sought-after concrete look with streamlined installation and the strength of certified porcelain tile. Just as every city holds potential, Gotham delivers unique design possibilities by capturing the most desired hues in stained concrete. Subtle striations and aggregate finishes create a depth and integrity that ensure design applications will be discovered around every corner, on every block. Having saved the day for industrialchic design, Gotham masks its porcelain identity in style and reveals only a cosmopolitan foundation for the next generation of superstructures.

Each tile color in the Gotham series takes inspiration and its name from iconic cityscapes. Take a bold step out of the shadows just as the sun rises on Gotham. From sidewalk to skyscraper, Gotham has you covered with Crossville's latest porcelain tile.



AV325 ▶ Dockside 12 x 24

Gotham

Crossville, Inc.

PO Box 1168 Crossville, TN

Fax 38557 E-Mail

Phone

931.456.2956 ${\tt Crossc@CrossvilleInc.com}$

931.484.2110

Web CrossvilleInc.com

