Stone Fiction

Porcelain Stone®



Stone Fiction

Porcelain Stone®

The allure of travertine from the indoors to outdoors

It's no lie that crosscut travertine is a timeless, earthly manifestation of style. Maintenance requirements and irregularities in the surface make commitment to travertine—shall we say —hard. Stone Fiction porcelain tile collection is the elegantly effortless alternative. This inspired line grounds down in the look of perpetually appealing travertine while providing confidence in the performance of porcelain for a lifetime of grace, ease, and style.

Stone Fiction's soft, swirling surface graphics and mild, infinitely matchable neutral color palette emulate what Mother Nature created in travertine's distinct mineral deposits. Each tile convincingly reinterprets stone's naturally dramatic pits in subtle, easy-to-clean depth. The resulting coziness centers your spaces in the illusion of a time-honored material.

Stone Fiction takes its allure from indoors to outside with both an unpolished finish and an exterior option suitable for walkways and pool surrounds. 12x24, 24x24, and a 2x2 mosaic, all made in the USA, offer a simple yet impactful collection designed to honor your creative vision.





Floor: **STF04** ▶ Travertine Coffee 12 x 24 UPS



Color Palette

Available Colors



STF01 ▶ Travertine Ivory



STF03 ▶ Travertine Silver



STF01.10202MOS ► Travertine Ivory 2 x 2 Mosaic



STF02.10202MOS ► Travertine Beige 2 x 2 Mosaic



STF02 ▶ Travertine Beige



STF04 ▶ Travertine Coffee



STF03.10202MOS ► Travertine Silver 2 x 2 Mosaic



STF04.10202MOS ▶
Travertine Coffee 2 x 2 Mosaic





Specifications

Sizes (Shown in STF03 Travertine Silver)







2 x 2 Mosaic (Mounted on a 12 x 12 sheet)

Sizes & Finishes

 Field Tile - Calibrated
 Available in all colors

 Nominal (in)
 Actual (in)
 Thickness (mm)
 Grout Joint (in)
 Finish

 12 x 24
 11-13/16 x 23-13/16
 9.5
 3/16
 UPS

 24 x 24
 23-13/16 x 23-13/16
 9.5
 3/16
 UPS/EXT

Note: Field tile is calibrated (non-rectified) with a minimum 3/16" grout joint

| Mosaics | | Availa | able in all colors | |
|---------------|---------------------|-----------|----------------------|----------|
| Nominal (in) | Actual Size (in) | Thickness | (mm) Grout Joint (in |) Finish |
| 2 x 2 Mosaic* | 11-15/16 x 11-15/16 | 9.5 | 3/16 | UPS |

 $^{\ast}\,$ Mounted on 12 x 12 sheet with 3mm grout joints

| Coordinating Trim | | Available in all colors | | | |
|-------------------|------------------------|-------------------------|----------------|------------------|--------|
| ١ | Nominal (in) | Actual (in) | Thickness (mm) | Grout Joint (in) | Finish |
| 6 | 6 x 12 Cove Base | 5-7/8 x 11-3/4 | 9.5 | 3/16 | UPS |
| _ | 4 x 24 Single Bullnose | 3-13/16 x 23-13/16 | 9.5 | 3/16 | UPS |



Product Performance

| Breaking Strength | >450 lbf | ASTM C648 |
|---------------------|------------|------------|
| Bond Strength | >200 psi | ASTM C482 |
| Chemical Resistance | Unaffected | ASTM C650 |
| FrSTF Resistance | Resistant | ASTM C1026 |
| Water Absorption | <0.50% | ASTM C373 |
| Scratch Hardness | 7 | Mohs Scale |

Wet Dynamic Coefficient of Friction Range

| UPS | 0.42 - 0.52 | ANSI A326.3 |
|-----|-------------|-------------|
| EXT | 0.60 - 0.70 | ANSI A326.3 |


Get Planked!

Our Porcelain Stone* products are available in popular plank shapes with no minimum order and quick fulfillment. See website for more details and sizes.



Shade & Texture Index

Stone Fiction has a shade variation of V3.



This porcelain tile product is produced with a V3 variation. While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or textures to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

Recommended Use

Stone Fiction UPS is recommended for interior floors, walls, counter tops and exterior walls in both residential and commercial applications. Stone Fiction EXT is recommended for exterior floors and walls in both residential and commercial applications. If offset pattern is required for tiles 15 inches or longer, Crossville* recommends an offset of not greater than 33%. See CrossvilleInc.com for detailed installation instructions.

Wet area use for Stone Fiction Mosaics

Crossville® produces the Stone Fiction 2 x 2 mosaics with the Cross-Sheen® (UPS) finish. The ANSI A326.3 wet Dynamic COF of Stone Fiction is ≥0.42. Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Stone Fiction to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.



Care and Maintenance

Regular cleaning is the best way to keep Stone Fiction tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville* products is available at CrossvilleInc.com.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1- 2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

HydroTect™

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.

♣ HYDROTECT

by CROSSVILLE,

Crossville Sample Express

Visit the website to learn more: CrossvilleInc.com/Products/Stone -Fiction

Loose Samples for Architects & Designers

Loose Tile Samples

Sizes may vary depending on product series
Max. of 4 large field tile per order

Replacement Chips for PSS Rack Max. of 5, 2 x 2 chips per color

Standard Shipping FedEx Ground

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com. Information listed here is subject to change.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Wall: **SFT03** ▶ Travertine Silver 2 x 2 Mosaic Floor: **SFT03** ▶ Travertine Silver 12 x 24 EXT

Environmentally Aware

Trade Organizations





















Stone Fiction

Crossville, Inc.

PO Box 1168 Crossville, TN 38557

Fax E-Mail

Phone

931.484.2110 931.456.2956

Mail Crossc@CrossvilleInc.com

Web CrossvilleInc.com



Above:

Floor: **STF01** ➤ Travertine Ivory 12 x 24 UPS

on the cover:

Floor: **STF03** Travertine Silver 24 x 24 EXT

Wall: **STF03** Travertine Silver 2 x 2 Mosiac and 24 x 24 UPS

